

Verifying Elections with Cryptography

Ben Adida

Harvard

Google – December 19th, 2007



By Anne Broache

Staff Writer, CNET News.com

Published: October 31, 2006, 4:00 AM PST

By Anne Broache

Staff Writer, Published: Od

State sued over lack of paper trail for ballots

By AMAN BATHEJA STAR-TELEGRAM STAFF WRITER

By Anne Broache

Staff Writer, Published: O

State sued over lack of paper trail for ballots

HBO documentary irks voting technology firm

Wed Nov 1, 2006 6:37am ET

By Anne Broache

Staff Writer, Published: Od

State sued over lack of paper trail for ballots

HBO documentary irks voting tochnology firm

Wed Nov 1, 2006 6:37am ET

California E-Voting Machine Allows Multiple Votes



Allen Martin Reporting

By Anne Broache

Staff Writer, Published: Or

State sued over lack of paper trail for ballots

HBO documentary irks voting tochrology firm

Wed Nov 1, 2006 6:37am ET

California E-Voting Machine Allows Multiple Votes



Allen Martin

OCTOBER 31, 2006

Hugo Chavez in the Voting Machine

By Anne Broache

Staff Writer, Published: Od

State sued over lack of paper trail for ballots

HBO documontany irks voting tochnology firm

Wed Nov 1, 2006 6:37am ET

California E-Voting Machine Allows Multiple Votes



Allen Martin

OCTOBER 31, 2006

Hugo Chavez in the Voting Machine

Originally published October 26, 2006

Your vote will count

Hype over hacking shouldn't shatter confidence

By Paul DeGregorio McCLATCHY-TRIBUNE Rogers precinct, with more than 100 percent voter turnout, alarmed both of them.

Rogers precinct, with more than 100 percent voter turnout, alarmed both of them.

Thief grabs voting machine from election official's car

By ROGER H. AYLWORTH - Staff Writer Article Launched:11/07/2006 12:00:00 AM PST

Rogers precinct, with more than 100 percent voter turnout, alarmed both of them.

Thief grabs voting machine from election official's car

By ROGER H. AYLWORTH - Staff Writer Article Launched:11/07/2006 12:00:00 AM PST

Last Updated: November 7, 2006 - 2:19 PM EST

Voter smashes touch-screen machine in Allentown



State disallows some voting machines

La Plata County technology OK; a few large counties must change

December 18, 2007

By Joe Hanel | Herald Denver Bureau

Ohio e-voting system security bashed in new state report

Problems threaten the integrity of future elections, officials say

Report: Magnet and PDA Sufficient to Change Votes on Voting Machine


By Kim Zetter


December 17, 2007 | 11:36:19 PM


Categories: E-Voting, Election '08, Hacks And Cracks


Wooten got the news from his wife, Roxanne, who went to City Hall on Wednesday to see the election results.

"She saw my name with zero votes by it. She came home and asked me if I had voted for myself or not. I told her I did," said Wooten, owner of a local bar.
















Last Year: Princeton Report



- Diebold touch-screen runs executable code loaded from memory card
- All audit logs modified to be consistent
- Can spread virally by memory card.

But not just DREs...



How can Cryptography help?

Cryptography provides more than confidentiality.

Cryptography can provide **verifiability** while maintaining **ballot secrecy**.

The Point of An Election

"The People have spoken....
the bastards!"

Dick Tuck 1966 Concession Speech


The Point of An Election

"The People have spoken.... the bastards!"

Dick Tuck 1966 Concession Speech

Provide enough evidence to convince the <u>loser</u>.

Secret Ballot vs. Verifiability






http://www.cs.uiowa.edu/~jones/voting/pictures/


1892 - Australian Ballot


DEMOCRATIC. REPUBLICAN. FOR MAYOR, AUGUST LEUZ, JR. CORNER BURLINGTON AND JOHNSON STREETS. FOR TREASURER. GEORGE W. KOONTZ 848
FOR TREASURER, FOR TREASURER,
NO. 620 EAST BURLINGTON STREET.
FOR CITY SOLICITOR, FRANK J. HORAK NO. 120 DODGE STREET. FOR SOLICITOR, L. H. FULLER NO. 422 SOUTH DUBUQUE STREET.
FOR ASSESSOR, F. A. HEINSIUS NO. 948 EAST MARKET STREET. FOR ASSESSOR, H. W. LATHROP /98
FOURTH WARD. FOURTH WARD.
JOHN U. MILLER 24 J. C. LEASURE COR. VAN BUREN ST. AND IOWA AVENUE


Election 2008






















The Ballot Handoff


























Scavenged ballot box lids haunt S.F. elections

Erin McCormick, Chronicle Staff Writer

Monday, January 7, 2002

Scavenged ballot box lids haunt S.F. elections

Erin McC Helicopter Crash Delays Afghan

Monday, J Vote Count

Helicopter Sent to Pick Up Afghan Ballots in Remote Province Crash-Lands, Delaying Vote Count

Scavenged ballot box lids haunt S.F. elections

Erin McC Helicopter Crash Delays Afghan

Monday, J Vote Count

Helicopter 1
Province Cr

Helicopter: Absentee ballots 'lost' in Florida

October 28, 2004 09:28 IST

Nearly 58,000 absentee ballots for the US presidential election may never have reached Florida's Broward County voters, who had requested them more than two weeks ago, election officials said.

Scavenged ballot box lids haunt S.F. elections

Erin McC Helicopter Crash Delays Afghan

Monday, J Vote Count

Helicopter : Province Cr

Helicopter : Absentee ballots 'lost' in Florida

October 28, 2004 09:28 IST

Nearly 58,000 absented ballots for the US providential election may never have reached

Florida's Broward Cour election officials said.

Mexico Presidential Election Ballots Found in Dump

RAW STORY

Published: Thursday July 6, 2006

Scavenged ballot box lids haunt S.F. elections

Erin McC Helicopter Crash Delays Afghan

Monday, J Vote Count

Province Cr

Helicopter: Absentee ballots 'lost' in Florida

October 28, 2004 09:28 IST

Nearly 58,000 absented

Florida's Broward Cour Mexico Presidential Election in Dump

SARASOTA

18,000 votes in U.S. House race may be lost

Thousands of votes were either not counted or not cast in Sarasota's nationally watched congressional race.

Is Secrecy Important? Actually, it is.

Secret Ballot implemented in Chile in 1958.

"the <u>secrecy of the ballot</u> [...] has <u>first-order implications</u> for resource allocation, political outcomes, and social efficiency."


[BalandRobinson 2004]


Verifying with Cryptography


[Chaum81], [Benaloh85], [PIK93], [BenalohTuinstra92], [SK94], [Neff2001], [FS2001], [Chaum2004], [Neff2004], [Ryan2004], [Chaum2005]


Desired Properties

- (I) Alice verifies her vote.
- (2) **Everyone** verifies **tallying**.
- (3) Alice **cannot be coerced** by Eve.












Encrypted Public Ballots




Encrypted Public Ballots





Encrypted Public Ballots





How can we <u>verify</u> operations on <u>encrypted</u> data?













Open envelopes don't prove anything after the fact.


Scratch & Vote



1. Receive two ballots.




2. Choose one randomly for auditing by scratch-off.




2. Choose one randomly for auditing by scratch-off.

In Private




3. Vote.

In Private




4. Tear & Discard left half of ballot.


In Private



4. Tear & Discard left half of ballot.



5. Tear & Discard scratch-off.



El Gamal

```
setting: p \text{ prime}, q \text{ prime}, q | (p-1)
```

private key: $x \in \mathcal{Z}_q^*$

public key: $y = g^x \pmod{p}$

El Gamal

setting: p prime, q prime, q | (p-1)

private key: $x \in \mathcal{Z}_q^*$

public key: $y = g^x \pmod{p}$

$$r \xleftarrow{R} \mathcal{Z}_q^*$$

$$\mathsf{Enc}_{pk}(m;r) = (\alpha,\beta) = (g^r,m\cdot y^r)$$

El Gamal

setting: p prime, q prime, q | (p-1)

private key: $x \in \mathbb{Z}_q^*$

public key: $y = g^x \pmod{p}$

$$r \xleftarrow{R} \mathcal{Z}_q^*$$

$$\mathsf{Enc}_{pk}(m;r) = (\alpha,\beta) = (g^r,m\cdot y^r)$$

$$\mathsf{Dec}_{sk}(c) = \frac{\beta}{\alpha^x}$$

Homomorphic Property

$$\mathsf{Enc}(m_1) \times \mathsf{Enc}(m_2) = \mathsf{Enc}(m_1 \times m_2)$$

Homomorphic Property

$$\mathsf{Enc}(m_1) \times \mathsf{Enc}(m_2) = \mathsf{Enc}(m_1 \times m_2)$$

$$c_1 = (g^{r_1}, m_1 y^{r_1})$$

$$c_2 = (g^{r_2}, m_2 y^{r_2})$$

$$c_1 \cdot c_2 = (g^{r_1+r_2}, (m_1 \cdot m_2) y^{r_1+r_2})$$

Wouldn't it be nice if....

Wouldn't it be nice if....

$$\mathsf{Enc}_{pk}(m_1) \cdot \mathsf{Enc}_{pk}(m_2) = \mathsf{Enc}_{pk}(m_1 + m_2)$$

Wouldn't it be nice if....

$$\operatorname{Enc}_{pk}(m_1) \cdot \operatorname{Enc}_{pk}(m_2) = \operatorname{Enc}_{pk}(m_1 + m_2)$$

then we could simply sum up votes homomorphically!

$$\mathsf{Enc}_{pk}(m,r) = (g^r, g^m y^r)$$

First: r'th residuosity [Benaloh85]

Also: Paillier Cryptosystem [P99]

$$\mathsf{Enc}_{pk}(m,r) = (g^r, g^m y^r)$$

First: r'th residuosity [Benaloh85] Also: Paillier Cryptosystem [P99]

$$\mathsf{Enc}_{pk}(m,r) = (g^r, g^m y^r)$$
 $\mathsf{Dec}_{sk}(c) = g^m$

First: r'th residuosity [Benaloh85] Also: Paillier Cryptosystem [P99]

$$\mathsf{Enc}_{pk}(m,r) = (g^r, g^m y^r)$$
 $\mathsf{Dec}_{sk}(c) = g^m$

Take the discrete log base g.

First: r'th residuosity [Benaloh85] Also: Paillier Cryptosystem [P99]

Homomorphic Tallying

0001 0000 0000

Vote for None

0000 | 0001 | 0000

Vote for Obama

0000 | 0000 | 0001

Vote for Paul

0003 0006 0005

→ Sample Tally

[B+2001, P1999]


PARAMETERS


#1 - Paul

#2 - Obama

#3 - None


M=10, Public Key = pk






Be Careful...

Be Careful...



Summary of S & V




Scratch & Vote is <u>one</u> system. There are many others.


What about write-ins?

Must preserve individual ballots.

Mixnets




Mixnets



Mix servers operated by mutually suspicious organizations.


Chaumian Mixnet (Onions)



$$c_j = \mathsf{Enc}_{pk_1}(\mathsf{Enc}_{pk_2}(\mathsf{Enc}_{pk_3}(m_j)))$$

[Chaum81]


Chaumian Mixnet (Onions)





$$c_j = \mathsf{Enc}_{pk_1}(\mathsf{Enc}_{pk_2}(\mathsf{Enc}_{pk_3}(m_j)))$$


Each mix server "unwraps" a layer of this encryption onion.


[Chaum81]



































Tricks to ensure no complete path is revealed.

$$sk = x \mod q$$
 $pk = y = g^x \mod p$

$$sk = x \mod q$$

$$pk = y = g^x \mod p$$

$$\mathsf{Enc}_{pk}(m;r) = (\alpha,\beta) = (g^r, m \cdot y^r)$$

$$\mathsf{Dec}_{sk}(c) = rac{eta}{lpha^x}$$

$$sk = x \mod q$$


$$pk = y = g^x \mod p$$


$$\mathsf{Enc}_{pk}(m;r) = (\alpha,\beta) = (g^r, m \cdot y^r)$$

$$\mathsf{Dec}_{sk}(c) = rac{eta}{lpha^x}$$


$$\begin{aligned} \mathsf{Reenc}_{pk}(c;r') &= c \cdot \mathsf{Enc}_{pk}(1,r') \\ &= (g^{r+r'}, m \cdot y^{r+r'}) \end{aligned}$$

Re-encryption Mixnet





Proof of Mixnet




Proof of Mixnet


Intermediate mix.


Coin flip determines: reveal first or second.


Decryption


- Threshold multiple parties needed to decrypt
- Provable public proof of correct decryption





























End-to-End verification

- End-to-End verification
- Secrecy and Verifiability <u>are</u> reconcilable

- End-to-End verification
- Secrecy and Verifiability <u>are</u> reconcilable
- Voting with Cryptography: let <u>anyone</u> verify.

Questions?

